

Safety Data Sheet


according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

1 Identification

- **Product identifier**
- **Trade name:** SMARTCOAT 200 Asphalt Bleed Blocker
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Elastomeric Acrylic Primer Coating
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
CertainTeed LLC
20 Moores Road
Malvern, PA 19355
610 341 7000 9am-5pm EST-USA
www.certainteed.com
CertainTeed-EHS@saint-gobain.com
- **Emergency telephone number:**
ChemTel
(800)255-3924 (North America)
+1 (813)248-0585 (International)
1-300-954-583 (Australia)
0-800-591-6042 (Brazil)
400-120-0751 (China)
000-800-100-4086 (India)
800-099-0731 (Mexico)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**

GHS07
- **Signal word:** Warning
- **Hazard statements:**
H317 May cause an allergic skin reaction.
- **Precautionary statements:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.
P302+P352 If on skin: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.

(Cont'd. on page 2)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker







P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Cont'd. of page 1)

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

1317-65-3	Limestone	20-50%
13463-67-7	Titanium dioxide	0.1-10%
55965-84-9	2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one	0.01-0.03%
	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330  Skin Corr. 1C, H314; Eye Dam. 1, H318  Skin Sens. 1A, H317	
26530-20-1	2-octyl-2H-isothiazol-3-one	0.01-0.03%
	 Acute Tox. 3, H311; Acute Tox. 3, H331  Skin Corr. 1B, H314  Acute Tox. 4, H302; Skin Sens. 1, H317	

· **Additional information:**

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for TiO₂ note that the substance must be respirable.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.
Respiration of particulates is unlikely during normal usage.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact:**

Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Nausea in case of ingestion.
Gastric or intestinal disorders when ingested.
Allergic reactions

· **Indication of any immediate medical attention and special treatment needed:**

Treat skin and mucous membrane with antihistamine and corticoid preparations.

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Avoid formation of dust.
Avoid breathing dust.
Use personal protective equipment as required.
- **Environmental precautions**
Avoid release to the environment.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**
Towel or mop up material and collect in a suitable container.
For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Use only in well ventilated areas.
Avoid contact with the eyes and skin.
Open and handle receptacle with care.
Avoid breathing dust.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
Store in cool, dry conditions in well sealed receptacles.
Do not allow product to freeze.
Store only in the original receptacle.
- **Information about storage in one common storage facility:**

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 3)

Store away from foodstuffs.

Store away from oxidizing agents.

· **Further information about storage conditions:** Storage Temperatures: 39.2-100.4 °F / 4-38 °C.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

1317-65-3 Limestone

PEL (USA) Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL (USA) Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV (USA) TLV withdrawn

13463-67-7 Titanium dioxide

PEL (USA) Long-term value: 15* mg/m³
*total dust

REL (USA) See Pocket Guide App. A

TLV (USA) Long-term value: 10 mg/m³

EL (Canada) Long-term value: 10* 3** mg/m³
*total dust; **respirable fraction; IARC 2B

EV (Canada) Long-term value: 10 mg/m³
total dust

LMPE (Mexico) Long-term value: 10 mg/m³
A4

· Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Avoid breathing dust.

· **Engineering controls:** No relevant information available.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

A NIOSH approved dust respirator should be used for operations generating dust.

For large spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

Gloves are advised for repeated or prolonged contact.

(Cont'd. on page 5)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

· Form:	Liquid
· Color:	Light green
· Odor:	Characteristic
· Odor threshold:	Not determined.

· pH-value:	Alkaline
· Melting point/Melting range:	<0 °C (<32 °F)
· Boiling point/Boiling range:	>100 °C (>212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

· Lower:	Not determined.
· Upper:	Not determined.

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** Not determined.

· **Density:**

· Relative density:	1.29-1.37
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.

· **Solubility in / Miscibility with**

· **Water:** Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Other information** No relevant information available.

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 5)

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Excessive heat.
Prevent formation of dust.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:** Based on available data, the classification criteria are not met.
 - **LD/LC50 values that are relevant for classification:** None.
 - **Primary irritant effect:**
 - **On the skin:** Based on available data, the classification criteria are not met.
 - **On the eye:** Based on available data, the classification criteria are not met.
 - **Sensitization:** Sensitization possible through skin contact.
 - **IARC (International Agency for Research on Cancer):**
Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.
- | | | |
|------------|------------------|----|
| 13463-67-7 | Titanium dioxide | 2B |
|------------|------------------|----|
- **NTP (National Toxicology Program):**
None of the ingredients are listed.
 - **OSHA-Ca (Occupational Safety & Health Administration):**
None of the ingredients are listed.
 - **Probable route(s) of exposure:**
Ingestion.
Eye contact.
Skin contact.
 - **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
 - **Carcinogenicity:**
Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.
 - **Reproductive toxicity:** Based on available data, the classification criteria are not met.
 - **STOT-single exposure:** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
 - **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity**
Toxic to aquatic life with long lasting effects.

26530-20-1 2-octyl-2H-isothiazol-3-one

LC50	0.016 mg/l (Cyprinodon variegatus)
	0.18 mg/l (Iepomis macrochirus)
	0.047 mg/l (Oncorhynchus mykiss)
EC50	0.32 mg/l (daphnia)

55965-84-9 2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one

LC50	0.28 mg/l (Iepomis macrochirus)
	0.19 mg/l (Oncorhynchus mykiss)
EC50	0.16 mg/l (daphnia)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:** Avoid release to the environment.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR/RID/ADN, IMDG, IATA** UN3082
- **UN proper shipping name**
- **DOT, IATA** Environmentally hazardous substance, liquid, n.o.s. (2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one)
- **ADR/RID/ADN, IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-Methyl-1,2-thiazol-3(2H)-one - 5-

(Cont'd. on page 8)



Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 7)

	chloro-2-methyl-1,2-thiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, IMDG, IATA 	
	
<ul style="list-style-type: none"> · Class · Label 	<p>9 9</p>
<ul style="list-style-type: none"> · ADR/RID/ADN 	
	
<ul style="list-style-type: none"> · Class · Label 	<p>9 (M6) 9</p>
<ul style="list-style-type: none"> · Packing group · DOT, ADR/RID/ADN, IMDG, IATA 	<p>III</p>
<ul style="list-style-type: none"> · Environmental hazards · Marine pollutant: 	<p>Product contains environmentally hazardous substances: 2-octyl-2H-isothiazol-3-one Yes (DOT) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: 	<p>Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT 	<p>Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197</p> <p>Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum capacity of greater than 450 L (119 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c))</p>

15 Regulatory information

(Cont'd. on page 9)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 8)

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.

13463-67-7	Titanium dioxide
------------	------------------

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.

13463-67-7	Titanium dioxide	2B
------------	------------------	----

· **Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

(Cont'd. on page 10)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 200 Asphalt Bleed Blocker

(Cont'd. of page 9)

Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A

Sources

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com